




OLM-10

OMNIDIRECTIONAL LAVALIER
MICROPHONE



POLSEN™

PRODUCT
MANUAL



CONTENTS INCLUDE

- Omnidirectional Lavalier Microphone
- 3.5 mm to 1/4" plug adapter
- Tie clip
- Foam windscreen
- LR44 battery
- Product manual

PRECAUTIONS ⚠

- Please read and follow these instructions and keep this manual in a safe place.
- Keep this product away from water and all flammable gases or liquids.
- Do not attempt to disassemble or repair this product.
- Handle this product with care.
- Clean this product with only a soft, dry cloth.
- Make sure that this product is intact and that there are no missing parts.
- All photos are for illustrative purposes only.




THANK YOU FOR CHOOSING POLSEN.

The Polsen OLM-10 omnidirectional lavalier microphone is ideal for use in interviews, dictation, and home video applications. Its miniature, lightweight design provides low visibility while maintaining excellent directional control and sound quality. Utilizing a wide-range electret condenser element, it features smooth frequency response and wide dynamic range. Its omnidirectional polar pattern enables 360° sound pickup, capturing a natural blend of voice and ambience. The microphone offers low sensitivity to wind and handling noise, as well as to vocal plosives. The 3.5 mm TRS connector sends the microphone signal to both channels of the recorder, and the included 1/4" adapter provides greater connectivity by allowing the OLM-10 to be plugged into compatible PA systems.

OMNIDIRECTIONAL LAVALIER
MICROPHONE
OLM-10



FREQUENCY RESPONSE GRAPH



SPECIFICATIONS

TRANSDUCER - Electret condenser

POLAR PATTERN - Omnidirectional

FREQUENCY RESPONSE - 50 Hz to 18 kHz


SENSITIVITY - -65 dB \pm 3 dB (0 dB = 1 v/ubar @ 1 kHz)

IMPEDANCE - 1,000 Ω \pm 30% @ 1 kHz

OPERATING VOLTAGE - 1-10 V DC

MATERIAL - Gold stereo plug

POLAR PATTERN



DIMENSIONS



ONE-YEAR LIMITED WARRANTY

This POLSEN product is warranted to the original purchaser to be free from defects in materials and workmanship under normal consumer use for a period of one (1) year from the original purchase date or thirty (30) days after replacement, whichever occurs later. The warranty provider's responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at the provider's discretion, of any product that fails during normal use of this product in its intended manner and in its intended environment. Inoperability of the product or part(s) shall be determined by the warranty provider. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover damage or defect caused by misuse, neglect, accident, alteration, abuse, improper installation or maintenance. EXCEPT AS PROVIDED HEREIN, THE WARRANTY PROVIDER MAKES NEITHER ANY EXPRESS WARRANTIES NOR ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. This warranty provides you with specific legal rights, and you may also have additional rights that vary from state to state.

To obtain warranty coverage, contact the Polsen Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Polsen along with the RMA number and proof of purchase. Shipment of the defective product is at the purchaser's own risk and expense.

For more information or to arrange service, visit www.polsenaudio.com or call Customer Service at 212-594-2353.

Product warranty provided by the Gradus Group.
www.gradusgroup.com

POLSEN is a registered trademark of the Gradus Group. © 2014 Gradus Group LLC. All Rights Reserved.



GG3